

# Supplementary Materials for Yuan, Zhang, and Deng

October 16, 2017

## 1 Using WebSEM for Data Analysis

The fit indices for mean structures with growth curve models developed in this article are currently available in WebSEM, which is free online software that allows researchers to conduct SEM analysis through path diagrams (Zhang & Yuan, 2012-2017).<sup>1</sup> In this section, we illustrate how to obtain the fit indices in WebSEM through the linear model with equal error variances in Example 4 used in the paper. A video with instructions on how to conduct the data analysis is also available on YouTube (<https://youtu.be/1ydG3IxBIsm>).

To use WebSEM, one needs to provide a data file and draw a path diagram. The data file should be a free format text file with the extension name txt. The data file can be generated using any text editor or the default editor within WebSEM. Both raw data and summary data can be used. For missing data and non-normal data analysis, raw data are required. If raw data are used, the first line of the data file should be variable names and the rest are data entries. If summary data are used, the first row includes the variable names. The second row provides the value of the sample size that is repeated for each column of data. The third row includes information on the sample means. The rest is the full sample covariance matrix. For example, the summary data in the data file for Example 4 from Preacher et al. (2008) are given below. Clearly, there are six variables named close1, close2, close3, close4, close5 and gender, respectively, and the sample size is 851. Note that the value 851 repeats itself 6 times.

---

close1	close2	close3	close4	close5	gender
851	851	851	851	851	851
37.9542	37.2785	37.0463	36.5696	36.1363	0.4900
6.3944	3.2716	4.1435	3.7058	4.1286	-0.0940
3.2716	7.5282	6.0804	5.1597	5.7608	-0.0390
4.1435	6.0804	10.7290	6.5672	7.2365	-0.1521
3.7058	5.1597	6.5672	10.2920	7.6463	-0.1104
4.1286	5.7608	7.2365	7.6463	12.9085	-0.1469
-0.0940	-0.0390	-0.1521	-0.1104	-0.1469	0.2502

---

WebSEM provides an intuitive and interactive interface to draw path diagram for a model for data analysis. Information on how to use the interface can be found in Zhang and Yuan (2012-2017). The path diagram for the linear growth curve model drawn by WebSEM is given in Figure 2. The video on YouTube showed how to draw a path diagram interactively. Because the use of summary data instead of raw data, we put “`data=cov`” in the control field of WebSEM. Furthermore, to request the fit indices for the mean structure, type “`mean.fit`” in the control field; otherwise, only fit indices for the combined mean and covariance structure will be produced.

The output of WebSEM by running the analysis is shown below. Test Statistics and Fit Indices for both mean and covariance, covariance only, and mean only are given at the beginning of the output. For example, for evaluating both mean and covariance together, the chi-square statistic is 81.653 with 17 degrees of freedom. The corresponding p-value is essentially 0. The CFI is 0.971, NFI is 0.964, NNFI is 0.961 and RMSEA is 0.067. For mean only, the chi-square statistics is 5.073 (p-value = 0.167) and RMSEA is 0.028.

<sup>1</sup>Zhang, Z. & Yuan, K.-H. (2012-2017). WebSEM: Structural equation modeling online [Manual available at <http://psychstat.org/websem>]. Retrievable from <https://websem.psychstat.org>.




Figure 1: Path diagram for the linear growth curve model with equal error variances. The path diagram was drawn by WebSEM.

---

Model information  
 Observed variables: gender close1 close2 close3 close4 close5 .  
 Latent variables: F1 F2 .  
 The weight is: 0 .  
 The software to be used is: lavaan .  
 Test Statistics and Fit Indices  
 Fit for both mean and covariance  
 Chi-square statistic 81.647  
 Degrees of freedom 17  
 p-value 0  
 Chi-square statistic (baseline model) 2272.2  
 Degrees of freedom (baseline model) 23  
 CFI 0.971  
 NFI 0.964  
 NNFI 0.961  
 RMSEA 0.067  
 Fit for covariance only  
 Chi-square statistic 76.586  
 Degrees of freedom 14  
 p-value 0  
 Chi-square statistic (baseline model) 2104.7  
 Degrees of freedom (baseline model) 19  
 CFI 0.97  
 NFI 0.964  
 NNFI 0.959  
 RMSEA 0.072  
 Fit for mean only  
 Chi-square statistic 5.067  
 Degrees of freedom 3  
 p-value 0.167  
 Chi-square statistic (baseline model) 287.54  
 Degrees of freedom (baseline model) 4  
 CFI 0.993  
 NFI 0.982  
 NNFI 0.99  
 RMSEA 0.028  
 Parameter Estimates  

	Estimate	Std.err	Z-value	P(> z )
Latent variables:				
F1 =~				
close1	1.000			
close2	1.000			
close3	1.000			
close4	1.000			
close5	1.000			
F2 =~				
close1	0.000			
close2	2.000			
close3	3.000			
close4	4.000			
close5	5.000			

 Regressions:

```

F1 ~
  gender          -0.289     0.163    -1.769     0.077
F2 ~
  gender          -0.052     0.043    -1.215     0.224

Covariances:
F1 ~~
  F2             0.250     0.057    4.417     0.000

Intercepts:
  F1            38.141    0.114   333.899     0.000
  F2           -0.333     0.030   -11.159     0.000
  gender         0.490     0.017    28.560     0.000
  close1         0.000
  close2         0.000
  close3         0.000
  close4         0.000
  close5         0.000

Variances:
  F1            2.960     0.285   10.393     0.000
  F2            0.136     0.020    6.800     0.000
  close1 (e_cl) 3.700     0.104   35.707     0.000
  close2 (e_cl) 3.700     0.104   35.707     0.000
  close3 (e_cl) 3.700     0.104   35.707     0.000
  close4 (e_cl) 3.700     0.104   35.707     0.000
  close5 (e_cl) 3.700     0.104   35.707     0.000
  gender         0.250     0.012   20.616     0.000

```

---

```
=====
WebSEM ended at 16:35:01 on Oct 16, 2017
```

---

We now include the input and output of the examples used in our paper.

## 1.1 Example 1

The summary data used in this example are given below. The model in Figure 2 is used.

---

y1	y2	y3	y4	y5	y6
200	200	200	200	200	200
1.0	1.5	2.0	2.5	3.0	3.5
2.0	2.0	2.0	2.5	3.0	3.5
2.0	4.0	4.5	6.0	7.5	9.0
2.0	4.5	8.0	10.0	12.0	14.5
2.5	6.0	10.0	14.0	16.5	20.0
3.0	7.5	12.0	16.5	22.0	26.0
3.5	9.0	14.5	20.0	26.0	32.0

---




Figure 2: Path diagrams for models used in Examples 1-4

The output of WebSEM by running the analysis is shown below.

---

```

Test Statistics and Fit Indices
Fit for both mean and covariance
    Chi-square statistic     82.686
    Degrees of freedom       16
    p-value                  0
    Chi-square statistic (baseline model) 2010.2
    Degrees of freedom (baseline model)   20
    CFI                      0.966
    NFI                      0.959
    NNFI                     0.958
    RMSEA                    0.144

Fit for covariance only
    Chi-square statistic     82.686
    Degrees of freedom       12
    p-value                  0
    Chi-square statistic (baseline model) 1923.8
    Degrees of freedom (baseline model)   15
    CFI                      0.963
    NFI                      0.957
    NNFI                     0.954
    RMSEA                    0.172

Fit for mean only
    Chi-square statistic      0
    Degrees of freedom        4
    p-value                   1
    Chi-square statistic (baseline model) 46.273

```

Degrees of freedom (baseline model)	5			
CFI	1			
NFI	1			
NNFI	1.121			
RMS EA	0			
 Parameter Estimates				
	Estimate Std. err Z-value P(> z )			
Latent variables:				
F1 = ~				
y1	1.000			
y2	1.000			
y3	1.000			
y4	1.000			
y5	1.000			
F2 = ~				
y1	0.000			
y2	1.000			
y3	2.000			
y4	3.000			
y5	4.000			
F1 = ~				
y6	1.000			
F2 = ~				
y6	5.000			
 Covariances:				
F1 ~~				
F2 (r_F1)	0.378	0.100	3.779	0.000
 Intercepts:				
F2	0.500	0.073	6.819	0.000
F1	1.000	0.094	10.667	0.000
y1	0.000			
y2	0.000			
y3	0.000			
y4	0.000			
y5	0.000			
y6	0.000			
 Variances:				
y1	0.532	0.103	5.186	0.000
y2	0.642	0.085	7.590	0.000
y3	1.040	0.119	8.740	0.000
y4	1.087	0.125	8.715	0.000
y5	0.595	0.090	6.627	0.000
F1	1.444	0.181	7.970	0.000
F2	1.044	0.108	9.710	0.000
y6	0.483	0.127	3.807	0.000

---

## 1.2 Example 2

The summary data used in this example are given below. The same model in Figure 2 is used.

---

y1	y2	y3	y4	y5	y6
2000.0	2000.0	2000.0	2000.0	2000.0	2000.0
1.0	1.5	2.0	2.5	3.0	3.5
2.0	2.2	2.0	2.5	3.0	3.5
2.2	4.0	4.5	6.0	7.5	9.0
2.0	4.5	8.0	10.2	12.0	14.5
2.5	6.0	10.2	14.0	16.5	20.0
3.0	7.5	12.0	16.5	22.0	26.2
3.5	9.0	14.5	20.0	26.2	32.0

The output of the analysis is given below.

```

Test Statistics and Fit Indices
Fit for both mean and covariance
    Chi-square statistic      188.53
    Degrees of freedom        16
    p-value                   0
    Chi-square statistic (baseline model) 2255.5
    Degrees of freedom (baseline model)   20
    CFI                      0.923
    NFI                      0.916
    NNFI                     0.904
    RMSEA                    0.232

Fit for covariance only
    Chi-square statistic      188.53
    Degrees of freedom        12
    p-value                   0
    Chi-square statistic (baseline model) 2168.6
    Degrees of freedom (baseline model)   15
    CFI                      0.918
    NFI                      0.913
    NNFI                     0.898
    RMSEA                    0.271

Fit for mean only
    Chi-square statistic      0
    Degrees of freedom        4
    p-value                   1
    Chi-square statistic (baseline model) 46.193
    Degrees of freedom (baseline model)   5
    CFI                      1
    NFI                      1
    NNFI                     1.122
    RMSEA                    0

Parameter Estimates
              Estimate  Std.error  Z-value  P(>|z| )
Latent variables:
  F1 =~
    y1                  1.000
    y2                  1.000
    y3                  1.000
    y4                  1.000
    y5                  1.000
  F2 =~
    y1                  0.000
    y2                  1.000

```

```

y3                      2.000
y4                      3.000
y5                      4.000
F1 = ~
y6                      1.000
F2 = ~
y6                      5.000

Covariances:
F1 ~~
  F2      (r_F1)    0.326    0.103    3.160    0.002

Intercepts:
  F2          0.500    0.074    6.797    0.000
  F1          1.000    0.097   10.321    0.000
  y1          0.000
  y2          0.000
  y3          0.000
  y4          0.000
  y5          0.000
  y6          0.000

Variances:
  y1          0.288    0.073    3.957    0.000
  y2          0.438    0.058    7.525    0.000
  y3          1.188    0.130    9.115    0.000
  y4          1.226    0.134    9.180    0.000
  y5          0.405    0.064    6.311    0.000
  F1          1.687    0.192    8.793    0.000
  F2          1.065    0.108    9.838    0.000
  y6          0.255    0.093    2.751    0.006

```

---

### 1.3 Example 3

The summary data for Example 3 are given below.

y1	y2	y3	y4	y5	y6
200.0	200.0	200.0	200.0	200.0	200.0
1.2	1.5	2.0	2.5	3.0	3.2
2.0	1.5	2.0	2.5	3.0	3.5
1.5	4.0	4.5	6.0	7.5	9.0
2.0	4.5	8.0	9.5	12.0	14.5
2.5	6.0	9.5	14.0	16.5	20.0
3.0	7.5	12.0	16.5	22.0	25.5
3.5	9.0	14.5	20.0	25.5	32.0

---

The linear growth curve model in Figure 2 is first fitted to the data and the output is given below.

```

Test Statistics and Fit Indices
Fit for both mean and covariance
  Chi-square statistic    33.093
  Degrees of freedom      16
  p-value                 7e-03
  Chi-square statistic (baseline model) 1791.9
  Degrees of freedom (baseline model)    20

```

```

      CFI          0.99
      NFI          0.982
      NNFI         0.988
      RMSEA        0.073
Fit for covariance only
      Chi-square statistic    13.121
      Degrees of freedom      12
      p-value                 0.36
      Chi-square statistic (baseline model) 1650.6
      Degrees of freedom (baseline model)   15
      CFI          0.999
      NFI          0.992
      NNFI         0.999
      RMSEA        0.022
Fit for mean only
      Chi-square statistic    20.073
      Degrees of freedom      4
      p-value                 0
      Chi-square statistic (baseline model) 99.134
      Degrees of freedom (baseline model)   5
      CFI          0.829
      NFI          0.798
      NNFI         0.787
      RMSEA        0.142
Parameter Estimates
                                         Estimate  Std. err  Z-value  P(>|z|)
Latent variables:
  F1 = ~
    y1           1.000
    y2           1.000
    y3           1.000
    y4           1.000
    y5           1.000
  F2 = ~
    y1           0.000
    y2           1.000
    y3           2.000
    y4           3.000
    y5           4.000
  F1 = ~
    y6           1.000
  F2 = ~
    y6           5.000

Covariances:
  F1 ~~
    F2           0.499    0.094    5.327    0.000

Intercepts:
  F2           0.429    0.073    5.902    0.000
  F1           1.162    0.087   13.304    0.000
  y1           0.000
  y2           0.000
  y3           0.000

```

y4	0.000
y5	0.000
y6	0.000

Variances:

y1	0.999	0.146	6.819	0.000
y2	1.007	0.122	8.223	0.000
y3	0.994	0.116	8.599	0.000
y4	0.995	0.122	8.127	0.000
y5	1.018	0.151	6.761	0.000
F1	0.991	0.158	6.266	0.000
F2	0.994	0.105	9.440	0.000
y6	1.024	0.204	5.015	0.000

The nonlinear growth curve model in Figure 3 below is then fitted to the data and the output is given below.




Figure 3: Quadratic growth curve model with unequal variances and a covariate

Test Statistics and Fit Indices
Fit for both mean and covariance
Chi-square statistic 4.849
Degrees of freedom 12
p-value 0.963

```

Chi-square statistic (baseline model) 1791.9
Degrees of freedom (baseline model) 20
CFI 1
NFI 0.997
NNFI 1.007
RMSEA 0

Fit for covariance only
Chi-square statistic 0.814
Degrees of freedom 9
p-value 1
Chi-square statistic (baseline model) 1650.6
Degrees of freedom (baseline model) 15
CFI 1
NFI 1
NNFI 1.008
RMSEA 0

Fit for mean only
Chi-square statistic 4.056
Degrees of freedom 3
p-value 0.256
Chi-square statistic (baseline model) 91.106
Degrees of freedom (baseline model) 5
CFI 0.988
NFI 0.955
NNFI 0.98
RMSEA 0.042

Parameter Estimates
      Estimate Std. err Z-value P(>|z|)
Latent variables:
F1 = ~
y1 1.000
y2 1.000
y3 1.000
y4 1.000
y5 1.000
F2 = ~
y1 0.000
y2 1.000
y3 2.079 0.178 11.705 0.000
y4 3.159 0.276 11.435 0.000
y5 4.239 0.380 11.168 0.000
F1 = ~
y6 1.000
F2 = ~
y6 5.193 0.472 10.993 0.000

Covariances:
F1 ~~
F2 0.490 0.092 5.313 0.000

Intercepts:
F2 0.410 0.080 5.143 0.000
F1 1.165 0.090 12.987 0.000
y1 0.000

```

y2	0.000
y3	0.000
y4	0.000
y5	0.000
y6	0.000
<b>Variances:</b>	
y1	1.003
y2	1.002
y3	0.994
y4	0.990
y5	0.989
F1	1.005
F2	0.899
y6	1.064
	0.147
	0.122
	0.116
	0.122
	0.152
	0.165
	0.200
	0.208
	6.827
	8.180
	8.600
	8.085
	6.490
	6.081
	4.493
	5.115
	0.000
	0.000
	0.000
	0.000
	0.000
	0.000

---

## 1.4 Example 4

The summary data for Example 4 are given below.

close1	close2	close3	close4	close5	gender
851	851	851	851	851	851
37.9542	37.2785	37.0463	36.5696	36.1363	0.4900
6.3944	3.2716	4.1435	3.7058	4.1286	-0.0940
3.2716	7.5282	6.0804	5.1597	5.7608	-0.0390
4.1435	6.0804	10.7290	6.5672	7.2365	-0.1521
3.7058	5.1597	6.5672	10.2920	7.6463	-0.1104
4.1286	5.7608	7.2365	7.6463	12.9085	-0.1469
-0.0940	-0.0390	-0.1521	-0.1104	-0.1469	0.2502

4.1. The linear growth curve model with homogeneous variance in Figure 4 is first fitted to the data and the output is given below.

```

Model information
Observed variables: gender close1 close2 close3 close4 close5 .
Latent variables: F1 F2 .
The weight is: 0 .
The software to be used is: lavaan .
Test Statistics and Fit Indices
Fit for both mean and covariance
  Chi-square statistic    81.647
  Degrees of freedom      17
  p-value                  0
  Chi-square statistic (baseline model) 2272.2
  Degrees of freedom (baseline model)   23
  CFI                      0.971
  NFI                      0.964
  NNFI                     0.961
  RMSEA                    0.067
Fit for covariance only
  Chi-square statistic    76.586
  Degrees of freedom      14
  p-value                  0
  Chi-square statistic (baseline model) 2104.7
  Degrees of freedom (baseline model)   19

```




Figure 4: Linear growth curve model with equal variances and a covariate

CFI	0.97
NFI	0.964
NNFI	0.959
RMSEA	0.072
Fit for mean only	
Chi-square statistic	5.067
Degrees of freedom	3
p-value	0.167
Chi-square statistic (baseline model)	287.54
Degrees of freedom (baseline model)	4
CFI	0.993
NFI	0.982
NNFI	0.99
RMSEA	0.028
Parameter Estimates	
	Estimate Std. err Z-value P(> z )
Latent variables:	
F1 =~	
close1	1.000
close2	1.000
close3	1.000
close4	1.000
close5	1.000
F2 =~	
close1	0.000
close2	2.000
close3	3.000
close4	4.000
close5	5.000
Regressions:	
F1 ~	
gender	-0.289 0.163 -1.769 0.077
F2 ~	
gender	-0.052 0.043 -1.215 0.224
Covariances:	
F1 ~~	
F2	0.250 0.057 4.417 0.000
Intercepts:	
F1	38.141 0.114 333.899 0.000
F2	-0.333 0.030 -11.159 0.000
gender	0.490 0.017 28.560 0.000
close1	0.000
close2	0.000
close3	0.000
close4	0.000
close5	0.000
Variances:	
F1	2.960 0.285 10.393 0.000
F2	0.136 0.020 6.800 0.000
close1 (e_cl)	3.700 0.104 35.707 0.000




Figure 5: Linear growth curve model with unequal variances and a covariate

close2 (e_cl)	3.700	0.104	35.707	0.000
close3 (e_cl)	3.700	0.104	35.707	0.000
close4 (e_cl)	3.700	0.104	35.707	0.000
close5 (e_cl)	3.700	0.104	35.707	0.000
gender	0.250	0.012	20.616	0.000

---

```
=====
WebSEM ended at 16:35:01 on Oct 16, 2017
```

#### 4.2. Linear model with unequal variances.

---

```

Model information
Observed variables: gender close1 close2 close3 close4 close5 .
Latent variables: F1 F2 .
The weight is: 0 .
The software to be used is: lavaan .
Test Statistics and Fit Indices
Fit for both mean and covariance
Chi-square statistic      58.457
Degrees of freedom        13
p-value                  0
Chi-square statistic (baseline model) 2148.4
Degrees of freedom (baseline model)    19
CFI                      0.979

```

NFI	0.973			
NNFI	0.969			
RMSEA	0.064			
Fit for covariance only				
Chi-square statistic	53.862			
Degrees of freedom	10			
p-value	0			
Chi-square statistic (baseline model)	1971.2			
Degrees of freedom (baseline model)	15			
CFI	0.978			
NFI	0.973			
NNFI	0.966			
RMSEA	0.072			
Fit for mean only				
Chi-square statistic	4.601			
Degrees of freedom	3			
p-value	0.203			
Chi-square statistic (baseline model)	284.67			
Degrees of freedom (baseline model)	4			
CFI	0.994			
NFI	0.984			
NNFI	0.992			
RMSEA	0.025			
Parameter Estimates				
	Estimate	Std.err	Z-value	P(> z )
Latent variables:				
F1 = ~				
close1	1.000			
close2	1.000			
close3	1.000			
close4	1.000			
close5	1.000			
F2 = ~				
close1	0.000			
close2	2.000			
close3	3.000			
close4	4.000			
close5	5.000			
Regressions:				
F1 ~				
gender	-0.274	0.162	-1.686	0.092
F2 ~				
gender	-0.052	0.042	-1.224	0.221
Covariances:				
F1 ~~				
F2	0.242	0.068	3.572	0.000
Intercepts:				
F1	38.128	0.114	335.436	0.000
F2	-0.330	0.030	-11.102	0.000
gender	0.490	0.017	28.560	0.000
close1	0.000			




Figure 6: Quadratic growth curve model with equal variances and a covariate

```

close2          0.000
close3          0.000
close4          0.000
close5          0.000

```

**Variances:**

F1	3.055	0.314	9.742	0.000
F2	0.127	0.023	5.544	0.000
close1 (e_c1)	3.527	0.289	12.219	0.000
close2 (e_c2)	2.989	0.182	16.470	0.000
close3 (e_c3)	4.004	0.235	17.056	0.000
close4 (e_c4)	3.665	0.237	15.471	0.000
close5 (e_c5)	4.509	0.318	14.194	0.000
gender	0.250	0.012	20.616	0.000

=====

WebSEM ended at 16:36:09 on Oct 16, 2017

---

4.3 The nonlinear growth curve model with equal variance in Figure 6 is then fitted to the data and the output is given below.

---

Model information
Observed variables: gender close1 close2 close3 close4 close5 .
Latent variables: F1 F2 F3 .

The weight is: 0 .  
The software to be used is: lavaan .  
Test Statistics and Fit Indices  
Fit for both mean and covariance

Chi-square statistic	53.631
Degrees of freedom	12
p-value	0
Chi-square statistic (baseline model)	2272.2
Degrees of freedom (baseline model)	23
CFI	0.981
NFI	0.976
NNFI	0.965
RMSEA	0.064

Fit for covariance only

Chi-square statistic	51.52
Degrees of freedom	10
p-value	0
Chi-square statistic (baseline model)	2104.7
Degrees of freedom (baseline model)	19
CFI	0.98
NFI	0.976
NNFI	0.962
RMSEA	0.07

Fit for mean only

Chi-square statistic	2.114
Degrees of freedom	2
p-value	0.348
Chi-square statistic (baseline model)	284.93
Degrees of freedom (baseline model)	4
CFI	1
NFI	0.993
NNFI	0.999
RMSEA	8e-03

Parameter Estimates

	Estimate	Std.err	Z-value	P(> z )
Latent variables:				
F1 =~				
close1	1.000			
close2	1.000			
close3	1.000			
close4	1.000			
close5	1.000			
F2 =~				
close1	0.000			
close2	2.000			
close3	3.000			
close4	4.000			
close5	5.000			
F3 =~				
close1	0.000			
close2	4.000			
close3	9.000			
close4	16.000			
close5	25.000			

Regressions:

F1 ~				
gender	-0.341	0.171	-2.001	0.045
F2 ~				
gender	0.036	0.120	0.296	0.767
F3 ~				
gender	-0.018	0.023	-0.760	0.447

Covariances:

F1 ~~				
F2	0.305	0.175	1.745	0.081
F2 ~~				
F3	-0.101	0.032	-3.140	0.002
F1 ~~				
F3	-0.014	0.032	-0.452	0.652

Intercepts:

F1	38.110	0.119	318.989	0.000
F2	-0.281	0.084	-3.343	0.001
gender	0.490	0.017	28.560	0.000
F3	-0.011	0.016	-0.643	0.520
close1	0.000			
close2	0.000			
close3	0.000			
close4	0.000			
close5	0.000			

Variances:

F1	2.880	0.321	8.970	0.000
F2	0.587	0.171	3.426	0.001
close1 (e_cl)	3.412	0.117	29.155	0.000
close2 (e_cl)	3.412	0.117	29.155	0.000
close3 (e_cl)	3.412	0.117	29.155	0.000
close4 (e_cl)	3.412	0.117	29.155	0.000
close5 (e_cl)	3.412	0.117	29.155	0.000
F3	0.023	0.006	3.578	0.000
gender	0.250	0.012	20.616	0.000

---

=====
WebSEM ended at 16:37:38 on Oct 16, 2017

---

#### 4.4 Nonlinear model with unequal variances

Model information  
Observed variables: gender close1 close2 close3 close4 close5 .  
Latent variables: F1 F2 F3 .  
The weight is: 0 .  
The software to be used is: lavaan .  
Test Statistics and Fit Indices  
Fit for both mean and covariance

Chi-square statistic	26.958
Degrees of freedom	8
p-value	1e-03




Figure 7: Quadratic growth curve model with unequal variances and a covariate

```

Chi-square statistic (baseline model) 2148.4
Degrees of freedom (baseline model) 19
CFI 0.991
NFI 0.987
NNFI 0.979
RMSEA 0.053

Fit for covariance only
Chi-square statistic 24.669
Degrees of freedom 6
p-value 0
Chi-square statistic (baseline model) 1971.2
Degrees of freedom (baseline model) 15
CFI 0.99
NFI 0.987
NNFI 0.976
RMSEA 0.06

Fit for mean only
Chi-square statistic 2.291
Degrees of freedom 2
p-value 0.318
Chi-square statistic (baseline model) 282.64
Degrees of freedom (baseline model) 4
CFI 0.999
NFI 0.992
NNFI 0.998
RMSEA 0.013

Parameter Estimates
      Estimate Std. err Z-value P(>|z|)
Latent variables:
F1 =~
  close1 1.000
  close2 1.000
  close3 1.000
  close4 1.000
  close5 1.000
F2 =~
  close1 0.000
  close2 2.000
  close3 3.000
  close4 4.000
  close5 5.000
F3 =~
  close1 0.000
  close2 4.000
  close3 9.000
  close4 16.000
  close5 25.000

Regressions:
F1 ~
  gender -0.319 0.170 -1.871 0.061
F2 ~
  gender 0.053 0.120 0.443 0.658
F3 ~

```

```

      gender      -0.023     0.023    -0.972     0.331
Covariances:
  F1 ~~
  F2           1.162     0.472     2.463     0.014
  F2 ~~
  F3          -0.052     0.049    -1.066     0.287
  F1 ~~
  F3          -0.135     0.069    -1.946     0.052

Intercepts:
  F1          38.092     0.119   319.590     0.000
  F2         -0.295     0.084    -3.521     0.000
  gender      0.490     0.017   28.560     0.000
  F3          -0.007     0.016    -0.405     0.686
  close1      0.000
  close2      0.000
  close3      0.000
  close4      0.000
  close5      0.000

Variances:
  F1          1.546     0.764     2.023     0.043
  F2          0.154     0.315     0.490     0.624
  close1 (e_c1) 4.839     0.773     6.259     0.000
  close2 (e_c2) 2.394     0.197    12.157     0.000
  close3 (e_c3) 3.723     0.232    16.023     0.000
  close4 (e_c4) 3.924     0.247    15.870     0.000
  close5 (e_c5) 3.243     0.451     7.195     0.000
  F3          0.019     0.009     2.242     0.025
  gender      0.250     0.012   20.616     0.000

```

---

```

=====
WebSEM ended at 16:38:34 on Oct 16, 2017

```

---

## 1.5 Missing data and non-normal data

For the analysis of missing data and non-normal data, the raw data are needed. The data used in this example are given below.

```

piat1997 piat1998 piat1999 piat2000 income1 fgrade mgrade asvab
NA 65 50 61 NA 10 15 8.334
48 44 50 NA NA NA 8 NA
60 37 42 52 NA NA 8 NA
61 85 69 71 17.626 12 12 47.134
NA 38 72 69 8 NA 14 58.541
59 79 61 57 NA 14 14 52.921
52 72 79 69 NA NA 95 27.471
73 79 82 73 2.076 12 11 NA
41 67 NA NA NA 12 12 2.39
64 69 72 NA NA 12 12 NA
73 74 82 NA NA 12 12 NA
69 78 72 70 42 12 16 39.585

```

51	45	50	70	1	12	12	18.371
63	72	69	74	NA	NA	11	12.233
80	85	89	92	23	NA	11	53.768
78	81	96	97	NA	12	14	56.63
74	50	NA	62	NA	12	11	NA
80	65	85	86	5.8	16	13	NA
63	72	64	NA	NA	11	14	26.195
68	86	73	90	6	NA	15	27.912
82	92	95	97	NA	15	16	77.604
61	58	79	72	34	12	12	27.664
76	55	69	82	0.201	12	10	NA
80	81	87	85	50	16	18	51.582
50	48	61	73	2	12	9	16.523
60	55	62	NA	26	16	13	NA
76	82	NA	NA	NA	14	18	70.421
64	NA	57	65	NA	12	NA	NA
93	93	95	97	80	16	16	97.811
50	58	77	76	NA	NA	NA	9.674
49	54	72	65	37	12	14	26.572
58	62	81	81	14	16	16	NA
60	70	72	82	10	NA	NA	12.534
67	90	84	72	25	NA	12	35.74
68	80	85	90	50	12	9	22.08
66	59	60	70	40	12	14	2.167
75	76	81	85	12.978	NA	NA	14.279
90	89	97	95	NA	12	16	NA
73	76	81	79	NA	7	16	29.276
44	50	NA	55	NA	NA	NA	0.835
31	NA	28	NA	NA	NA	11	12.321
60	56	67	65	0	12	12	17.119
NA	NA	87	74	NA	16	9	46.48
79	68	98	88	26	11	12	30.329
92	80	91	NA	NA	3	6	34.815
35	62	70	74	NA	18	13	15.719
39	50	71	NA	NA	NA	9	14.495
61	88	63	83	NA	12	15	94.837
70	63	64	70	13	14	12	NA
69	53	65	66	13	NA	11	2.675
52	54	49	NA	NA	NA	12	NA
60	67	75	70	0	NA	12	5.648
24	48	42	52	0.346	NA	NA	10.056
40	50	66	67	NA	NA	12	47.984
NA	29	49	49	NA	NA	12	6.732
55	63	79	69	NA	16	16	76.56
60	47	52	49	3.2	14	15	28.346
54	64	78	68	3	NA	14	NA
61	75	77	93	NA	12	12	NA
58	47	61	50	51.5	12	15	77.556
40	56	51	62	12.48	NA	NA	NA
85	74	100	92	25	11	12	NA
60	57	83	77	17	NA	9	NA
58	NA	49	55	20	8	14	11.463
60	88	89	89	0	13	13	78.616
75	73	74	82	30	11	10	NA

54	45	43	57	NA	11	10	NA
44	NA	46	73	NA	12	12	71.217
30	57	30	59	NA	NA	8	25.968
70	NA	94	NA	25	14	14	NA
51	59	49	25	NA	9	10	42.665
84	89	95	93	19	16	16	81.228
58	67	NA	83	0.25	18	18	62.397
61	60	65	89	NA	12	12	24.844
56	51	61	60	NA	12	12	37.476
65	68	72	66	11	NA	12	14.151
66	73	NA	69	13	17	18	27.771
58	58	60	74	10	13	14	49.108
39	53	NA	NA	NA	NA	12	19.208
59	76	50	NA	0.8	15	12	20.767
60	NA	60	NA	NA	12	12	NA
79	74	74	66	19	NA	10	23.715
62	74	72	NA	NA	13	13	13.75
NA	66	49	66	NA	16	16	NA
85	88	91	97	16	12	13	45.173
68	NA	68	70	14.4	NA	11	4.148
58	49	54	39	NA	12	NA	1.523
50	62	50	74	10	12	11	NA
78	93	NA	93	54.56	12	12	18.284
58	75	61	52	8	4	6	0.578
63	59	83	67	14	NA	12	NA
67	83	90	92	21	12	9	30.856
79	78	86	94	10	12	12	NA
49	58	66	56	23	12	12	NA
50	70	64	68	174.605	12	14	57.45
48	60	56	52	NA	12	14	78.004
97	92	72	71	17	NA	NA	97.332
70	NA	78	74	NA	15	14	17.147
67	74	NA	NA	3	NA	12	4.378
41	65	66	60	32	15	12	NA
95	96	95	99	21	12	12	3.638
NA	86	88	93	23	NA	15	80.289
NA	60	67	NA	NA	12	14	54.581
66	71	72	NA	26	16	16	68.893
74	NA	88	89	28	16	12	10.889
49	64	61	55	NA	NA	12	NA
55	42	27	41	NA	16	16	90.539
63	50	52	69	6	16	16	11.417
NA	59	75	65	NA	NA	NA	57.619
42	71	NA	NA	42.5	14	16	30.579
76	83	80	86	0.013	11	11	19.265
67	64	63	92	48	12	11	60.68
69	70	73	76	15	12	12	17.255
56	NA	43	68	NA	12	14	20.272
71	55	72	66	NA	12	12	36.293
60	37	88	78	42	10	12	47.193
83	73	NA	NA	6	12	14	68.082
69	66	61	73	NA	16	NA	89.749
71	85	74	70	21	9	14	18.671
62	65	NA	22	18.9	NA	12	NA

53	65	67	73	30.5	13	NA	36.962
NA	41	34	NA	NA	NA	12	23.558
NA	72	66	73	NA	16	12	18.95
51	63	60	67	16	12	12	32.051
56	68	75	NA	35	14	12	NA
52	62	70	60	20	NA	13	10.672
16	20	23	26	NA	10	13	71.841
60	54	62	77	NA	NA	NA	72.105
88	96	89	NA	NA	16	16	NA
56	65	75	83	0	12	10	80.897
85	89	92	NA	NA	10	12	0.297
66	70	66	69	NA	NA	11	NA
72	73	74	60	30	16	16	92.602
68	82	79	77	46.6	NA	14	61.967
60	67	66	81	5	NA	11	3.172
43	62	NA	58	5	NA	11	9.832
55	47	34	65	NA	NA	11	19.029
80	90	89	64	33	NA	NA	59.867
67	87	99	87	0	12	13	68.917
79	88	73	92	0.03	12	12	30.257
81	78	82	87	23	NA	12	39.821
65	85	75	88	NA	12	12	8.281
28	2	54	61	NA	8	14	14.754
88	87	90	97	NA	12	12	1.778
75	76	83	87	21	16	18	NA
65	63	69	63	2	16	16	48.117
75	73	79	81	NA	12	12	75.756
70	72	85	89	8.5	6	11	43.971
58	46	53	70	19	NA	12	8.901
83	87	86	97	NA	NA	NA	43.183
66	69	68	89	14.556	12	12	28.106
65	59	66	73	1.5	12	12	78.796
37	36	NA	43	16	12	12	60.091
78	83	63	74	12.9	11	8	12.829
47	55	58	67	9.998	8	8	29.464
97	50	45	100	NA	12	14	NA
52	56	56	100	3	12	9	NA
44	23	39	100	NA	NA	6	8.275
46	NA	49	NA	NA	12	17	38.04
55	66	66	68	NA	12	11	4.429
47	52	63	66	NA	NA	11	8.728
49	63	59	62	8	11	10	2.38
52	50	56	62	8	19	12	22.071
50	47	54	63	NA	NA	11	1.162
52	66	NA	46	NA	15	14	29.126
56	69	50	75	NA	16	12	0.627
73	86	75	75	9.912	12	12	4.712
53	57	56	69	19	12	12	60.806
70	72	70	72	0	12	11	NA
57	55	55	53	NA	12	12	55.006
51	58	64	70	17	11	14	81.669
53	57	60	70	15.6	NA	11	30.261
50	70	70	72	18	13	12	32.471
56	55	65	70	NA	NA	14	37.494

49	47	89	69	NA	NA	10	21.307
65	72	65	76	NA	13	14	33.141
75	78	92	94	6.5	14	12	NA
68	71	56	75	NA	12	17	41.186
55	61	60	64	21	15	12	15.03
63	71	66	67	NA	13	12	77.568
56	50	0	59	1.257	10	9	9.566
62	67	63	57	30	18	16	69.921
73	48	NA	45	NA	10	12	68.913
62	53	73	65	30	12	11	NA
56	53	51	NA	NA	11	NA	65.828
92	70	71	75	NA	11	12	43.517
NA	59	65	64	13	12	14	62.24
71	69	69	75	50	NA	14	68.115
86	82	90	91	NA	16	NA	51.648
86	87	92	94	20	17	18	87.545
NA	36	41	46	NA	17	16	35.874
58	54	65	64	NA	11	11	NA
69	71	87	81	NA	NA	12	NA
84	35	29	26	NA	5	4	13.043
50	70	68	80	5	5	6	NA
NA	43	NA	48	NA	12	12	NA
76	59	73	89	20	NA	6	80.12
75	90	92	97	1.813	12	NA	62.376
43	43	71	46	10	13	13	79.836
40	44	40	40	10	13	13	27.214
48	48	80	84	0	NA	12	16.169
70	73	91	71	13	14	15	20.729
46	45	49	63	NA	12	12	28.229
38	58	66	65	NA	NA	14	NA
49	46	66	65	21	3	3	NA
74	NA	70	85	30	NA	10	NA
46	75	78	74	34	NA	6	33.373
70	71	87	91	10	12	15	6.285
65	40	60	70	0	NA	NA	NA
61	54	56	55	NA	NA	NA	NA
48	43	44	80	18.5	15	16	NA
75	81	NA	93	3	16	12	45.046
35	55	57	34	NA	6	6	2.354
73	72	84	84	NA	16	9	15.469
NA	39	62	33	16	8	14	43.394
63	93	81	89	NA	NA	11	19.016
73	79	71	75	40	NA	10	10.487
63	84	75	64	40	NA	11	46.134
NA	66	55	66	NA	13	14	72.405
66	68	69	68	50	NA	NA	1.239
61	57	38	43	0	NA	12	NA
63	53	90	85	NA	NA	NA	10.209
NA	54	NA	70	15	14	14	68.315
66	70	60	69	13.368	NA	12	5.745
73	94	92	95	24	NA	NA	8.912
61	50	49	50	0	12	12	7.563
91	NA	94	NA	32	12	11	23.034
83	76	72	NA	NA	9	9	3.123

51	57	NA	NA	NA	NA	NA	NA	15.949
72	73	69	75	NA	11	8	NA	
50	60	63	50	23.5	7	7	29.979	
45	55	NA	53	NA	NA	12	19.129	
53	69	NA	1	NA	6	8	2.27	
64	75	88	NA	NA	14	12	NA	
24	NA	NA	45	NA	12	12	31.063	
100	91	93	96	NA	13	13	NA	
54	48	66	NA	23	16	14	1.646	
51	49	49	99	23	16	14	10.343	
62	89	91	90	NA	12	9	23.724	
56	65	69	4	2.675	13	12	18.997	
63	60	69	64	21	12	8	70.42	
49	67	77	90	3	12	12	5.226	
68	71	71	79	23	14	20	49.089	
59	68	64	62	NA	17	18	50.701	
55	59	68	71	41	11	14	NA	
80	81	76	99	43	NA	10	NA	
48	46	45	66	NA	18	16	42.198	
60	68	69	70	10.4	12	12	NA	
57	64	68	68	34	NA	11	5.428	
63	73	70	57	10.5	12	11	18.953	
51	60	53	51	2.328	NA	10	25.593	
60	74	69	83	NA	12	11	24.889	
53	58	61	61	8	12	12	57.984	
60	62	57	60	NA	8	10	12.671	
66	75	75	NA	13	12	14	29.434	
53	38	36	NA	NA	12	16	NA	
47	37	99	98	1.7	12	12	NA	
60	60	94	NA	NA	NA	8	3.085	
69	NA	71	87	174.605	NA	3	NA	
48	23	26	41	5.928	14	12	NA	
54	38	53	NA	5.928	16	14	19.598	
55	59	57	74	18	5	3	NA	
65	80	68	72	NA	NA	5	7.784	
38	54	44	52	NA	8	6	15.716	
38	28	54	66	NA	NA	12	25.548	
17	40	8	22	0	17	13	NA	
25	26	70	18	0	17	13	NA	
25	35	64	55	28	NA	7	3.832	
NA	23	41	28	NA	12	13	NA	
NA	73	62	85	NA	16	16	24.729	
48	44	59	53	9.907	12	13	39.893	
58	70	69	61	9	NA	14	10.666	
80	88	87	93	NA	12	12	0.95	
64	66	86	86	30	12	10	11.229	
23	1	NA	55	NA	NA	NA	NA	
65	68	64	69	48	12	NA	6.724	
85	73	58	64	18	14	12	2.009	
55	67	69	77	18	16	17	69.876	
45	52	56	52	NA	14	9	NA	
31	19	19	50	NA	12	12	19.437	
72	88	NA	82	18	11	14	NA	
20	23	38	38	4	12	13	NA	

56	68	72	70	2	5	11	7.295
28	33	52	NA	NA	NA	8	2.079
64	78	80	74	NA	12	11	34.026
60	54	66	67	12	9	12	10.8
44	38	47	65	2	NA	12	8.322
60	61	63	60	NA	11	12	26.82
54	62	69	51	NA	12	12	16.078
49	47	68	62	NA	12	12	26.185
44	49	47	47	NA	NA	16	25.273
66	66	73	93	7.5	NA	11	NA
43	59	NA	NA	27.648	12	12	NA
63	73	72	88	30	NA	11	NA
65	77	93	NA	NA	NA	12	NA
92	93	97	97	16	8	8	18.304
60	75	83	69	10	12	NA	8.453
59	68	73	75	NA	12	12	4.971
83	96	88	93	13	NA	NA	22.839
20	61	58	21	NA	NA	NA	15.773
63	69	NA	NA	14	12	9	8.82
76	81	85	67	NA	20	15	52.743
45	54	53	49	NA	11	12	NA
73	49	56	42	22	14	13	15.466
NA	46	59	57	27	NA	9	1.148
69	82	NA	72	NA	12	12	3.725
65	69	NA	79	8	12	12	5.925
42	44	47	50	20	12	11	0.316
61	68	72	73	NA	NA	14	43.981
87	90	92	97	11	12	11	0.204
67	74	69	77	0.8	16	14	8.616
90	92	90	91	7	NA	NA	46.574
65	59	51	NA	9.355	NA	12	26.175
NA	59	61	100	NA	NA	13	69.753
85	90	89	90	NA	NA	14	NA
70	69	64	78	83	12	12	46.931
59	75	69	70	18	12	12	NA
71	65	91	94	NA	NA	12	NA
76	80	73	75	22	NA	12	24.204
51	54	51	55	NA	15	16	26.696
69	NA	80	71	0	14	15	22.92
48	57	60	59	16	NA	12	9.64
54	41	59	68	5	12	12	22.39
58	67	94	95	10	11	8	24.39
54	48	58	70	NA	14	11	1.518
64	54	52	35	NA	NA	11	0
53	72	68	66	28.5	12	11	11.839
60	70	67	65	NA	10	11	10.045
31	NA	40	46	2	12	14	1.141
59	61	69	NA	NA	11	11	10.267
59	50	100	61	NA	12	11	2.007
67	76	74	75	15	14	13	NA
62	92	NA	NA	NA	NA	12	27.468
52	66	92	76	10	11	12	83.985
42	6	48	75	NA	7	8	NA
54	77	90	60	20	NA	11	NA

81	73	NA	NA	46	14	12	68.089
34	36	44	54	NA	NA	15	7.855
66	70	NA	NA	NA	12	10	23.616
86	56	70	NA	NA	3	5	NA
66	72	79	NA	NA	14	12	NA
49	73	70	78	0	NA	12	NA
62	50	61	81	NA	14	12	58.405
54	NA	64	64	NA	14	12	NA
93	90	97	98	27	11	10	10.541
22	20	NA	27	14	12	9	15.867
70	70	79	83	22	NA	14	46.848
81	NA	NA	91	25	12	16	95.621
58	73	73	97	23	12	12	11.697
100	5	32	39	NA	NA	12	38.443
95	98	97	97	16	NA	10	28.367
54	60	60	70	18.95	NA	12	NA
72	70	NA	NA	5	13	10	21.795
100	49	61	56	1.7	12	12	NA
100	82	72	95	0	12	12	35.54
100	71	87	67	15	12	14	16.219
65	70	NA	50	NA	13	12	29.185
68	56	88	80	55	14	14	71.297
48	NA	NA	71	NA	6	12	5.353
55	88	76	94	41	NA	12	1.535
78	77	88	88	15	4	9	22.874
86	91	91	88	15	NA	NA	11.974
62	69	NA	49	NA	NA	10	10.403
31	45	50	41	NA	12	11	21.898
46	64	NA	73	24	NA	13	NA
61	67	64	65	0.9	12	15	68.3
81	58	52	NA	17.056	NA	NA	4.91
59	56	59	75	NA	NA	15	NA
NA	66	57	71	NA	8	7	11.555
29	44	44	42	NA	12	12	29.784
49	52	54	62	14	12	12	22.651
43	78	70	90	17	10	12	44.454
83	68	76	71	27	NA	12	62.57
63	65	79	72	NA	NA	12	15.447
55	59	59	58	NA	NA	11	2.757
51	69	52	60	9	NA	10	NA
28	61	NA	59	NA	11	12	NA
44	41	75	83	15	12	11	65.985
58	56	67	66	15	12	11	NA
54	47	58	59	5	6	12	6.615
NA	40	55	68	NA	NA	NA	1.867
46	61	54	70	19	NA	NA	3.256
44	56	66	54	3	3	NA	NA
62	68	NA	81	10	16	12	NA
63	69	66	68	NA	15	12	9.809
61	59	61	64	7.2	NA	7	54.275
46	54	64	49	NA	NA	12	3.302
NA	69	78	58	25	7	12	51.4
NA	57	60	74	25	NA	12	12.546
68	37	51	56	11	12	6	14.316

74	64	78	80	47	16	16	22.618
70	65	65	59	18	NA	6	54.423
83	73	91	93	65	12	12	3.654
74	70	53	64	1	9	12	13.816
59	56	80	57	20	12	NA	NA
72	NA	NA	49	NA	14	14	60.778
78	91	89	87	43	12	12	5.262
31	1	47	49	0.003	12	12	43.201
84	77	65	87	0.04	10	13	9.527
68	70	79	NA	8	NA	12	NA
77	NA	56	55	NA	3	11	NA
63	0	64	71	0.028	9	12	NA
42	50	57	57	NA	NA	10	2.011
31	37	57	41	NA	11	11	45.069
54	71	88	88	12	12	NA	16.714
54	NA	53	46	NA	12	14	44.382
78	NA	NA	35	NA	12	13	34.472
60	62	62	61	NA	4	9	NA
81	61	72	80	NA	12	12	75.4
88	90	70	92	25	9	9	45.651
61	63	63	60	NA	16	16	NA
43	43	54	48	NA	19	12	79.208
24	30	27	27	2.2	2	3	2.575
63	58	64	51	15.3	12	12	NA
79	80	82	87	26	12	14	7.54
46	48	63	68	7	NA	2	NA
57	55	50	65	4	NA	NA	6.33
66	69	76	69	NA	12	15	14.116
68	69	68	70	8.736	NA	NA	NA
59	60	64	61	15	NA	NA	NA
73	86	88	90	NA	NA	NA	NA
69	65	69	74	NA	NA	NA	NA

---

The following model is fitted to the data. Note that in the weight field, 0.1 (0 can also be used not to down-weight any data) is input to specify how much data to down-weight. In the control part, we add "mean.fit" to request the fit for mean and covariance.

The output is given below.

Descriptive statistics (N=422)								
	Mean	sd	Min	Max	Skewness	Kurtosis	Missing	Rate
piat1997	61.153	15.8735	16	100.000	-0.10876	3.2101	0	0.056872
piat1998	63.023	17.3987	0	98.000	-0.70221	4.1528	0	0.059242
piat1999	67.398	16.4878	0	100.000	-0.42875	3.6071	0	0.101896
piat2000	69.320	17.6567	1	100.000	-0.58754	3.6623	0	0.118483
income1	18.466	20.3267	0	174.605	4.09326	29.7891	0	0.414692
fgrade	12.152	2.9875	2	20.000	-0.75231	4.6546	0	0.312796
mgrade	12.189	5.0282	2	95.000	11.67801	195.0043	0	0.099526
asvab	30.496	25.1655	0	97.811	0.80760	2.5980	0	0.248815

Model information

Observed variables: piat1997 piat1998 piat1999 piat2000 .

Latent variables: F1 F2 .

The weight is: 0.1 .

The software to be used is: lavaan .

Test Statistics and Fit Indices




Figure 8: Path diagram for missing data and robust method

```

Fit for both mean and covariance
  Chi-square statistic    13.836
  Degrees of freedom      5
  p-value                 0.017
  Chi-square statistic (baseline model) 5955.1
  Degrees of freedom (baseline model)   10
  CFI                     0.999
  NFI                     0.998
  NNFI                    0.997
  RMSEA                   0.058

Fit for covariance only
  Chi-square statistic    11.907
  Degrees of freedom      3
  p-value                 8e-03
  Chi-square statistic (baseline model) 1024.7
  Degrees of freedom (baseline model)   7
  CFI                     0.992
  NFI                     0.988
  NNFI                    0.98
  RMSEA                   0.078

Fit for mean only
  Chi-square statistic    1.934
  Degrees of freedom      2
  p-value                 0.38
  Chi-square statistic (baseline model) 216.56
  Degrees of freedom (baseline model)   3

```

CFI	1
NFI	0.991
NNFI	1
RMSEA	0
Parameter Estimates	
	Estimate Std. err Z-value P(> z )
Latent variables:	
F1 =~	
piat1997	1.000
piat1998	1.000
piat1999	1.000
piat2000	1.000
F2 =~	
piat1997	0.000
piat1998	1.000
piat1999	2.000
piat2000	3.000
Covariances:	
F1 ~~	
F2	-5.060 3.954 -1.279 0.201
Intercepts:	
F2	3.100 0.212 14.633 0.000
F1	61.010 0.716 85.264 0.000
piat1997	0.000
piat1998	0.000
piat1999	0.000
piat2000	0.000
Variances:	
F1	170.729 15.570 10.965 0.000
F2	6.264 1.840 3.404 0.001
piat1997	61.772 8.769 7.044 0.000
piat1998	71.972 6.470 11.124 0.000
piat1999	67.611 6.306 10.721 0.000
piat2000	63.244 9.028 7.005 0.000

=====
WebSEM ended at 16:50:00 on Oct 16, 2017

---

The output is given below.

Descriptive statistics (N=422)								
	Mean	sd	Min	Max	Skewness	Kurtosis	Missing	Rate
piat1997	61.153	15.8735	16	100.000	-0.10876	3.2101	0	0.056872
piat1998	63.023	17.3987	0	98.000	-0.70221	4.1528	0	0.059242
piat1999	67.398	16.4878	0	100.000	-0.42875	3.6071	0	0.101896
piat2000	69.320	17.6567	1	100.000	-0.58754	3.6623	0	0.118483
income1	18.466	20.3267	0	174.605	4.09326	29.7891	0	0.414692
fgrade	12.152	2.9875	2	20.000	-0.75231	4.6546	0	0.312796
mgrade	12.189	5.0282	2	95.000	11.67801	195.0043	0	0.099526
asvab	30.496	25.1655	0	97.811	0.80760	2.5980	0	0.248815




Figure 9: Path diagram for missing data and robust method

```

Model information
Observed variables: piat1997 piat1998 piat1999 piat2000 asvab mgrade .
Latent variables: F1 F2 .
The weight is: 0 .
The software to be used is: lavaan .
Test Statistics and Fit Indices
Fit for both mean and covariance
    Chi-square statistic    37.297
    Degrees of freedom      10
    p-value                 0
    Chi-square statistic (baseline model) 6686.1
    Degrees of freedom (baseline model)   21
    CFI                     0.996
    NFI                     0.994
    NNFI                    0.991
    RMSEA                   0.077
Fit for covariance only
    Chi-square statistic    33.918
    Degrees of freedom      8
    p-value                 0
    Chi-square statistic (baseline model) 834.66
    Degrees of freedom (baseline model)   18
    CFI                     0.971
    NFI                     0.959
    NNFI                    0.929
    RMSEA                   0.084

```

Fit for mean only

Chi-square statistic	3.387
Degrees of freedom	2
p-value	0.184
Chi-square statistic (baseline model)	145.05
Degrees of freedom (baseline model)	3
CFI	0.992
NFI	0.977
NNFI	0.985
RMSEA	0.036

Parameter Estimates

	Estimate	Std. err	Z-value	P(> z )
Latent variables:				
F1 =~				
piat1997	1.000			
piat1998	1.000			
piat1999	1.000			
piat2000	1.000			
F2 =~				
piat1997	0.000			
piat1998	1.000			
piat1999	2.000			
piat2000	3.000			
Regressions:				
F1 ~				
asvab	0.092	0.030	3.075	0.002
F2 ~				
asvab	-0.007	0.010	-0.718	0.472
F1 ~				
mgrade	0.119	0.149	0.799	0.424
F2 ~				
mgrade	0.017	0.050	0.344	0.731
Covariances:				
F1 ~~				
F2	-4.751	5.217	-0.911	0.362
Intercepts:				
F2	2.998	0.726	4.127	0.000
F1	56.417	2.158	26.140	0.000
asvab	30.405	1.222	24.877	0.000
mgrade	12.190	0.245	49.797	0.000
piat1997	0.000			
piat1998	0.000			
piat1999	0.000			
piat2000	0.000			
Variances:				
F1	170.582	17.551	9.719	0.000
F2	7.574	2.572	2.945	0.003
piat1997	85.741	12.113	7.079	0.000
piat1998	110.547	9.582	11.537	0.000
piat1999	86.638	8.347	10.379	0.000

piat2000	105.491	13.187	8.000	0.000
asvab	628.869	43.345	14.509	0.000
mgrade	25.227	1.739	14.509	0.000

=====

WebSEM ended at 17:00:48 on Oct 16, 2017

---